

# JBC

[www.jbctools.com](http://www.jbctools.com)



## Soldering Iron Handles

A wide range of models to choose

**Short distance tip-to-grip** for greater precision

**Variety of grips and different models** for every need

Over **400** compatible **cartridges**



### For C210 Cartridge Range

E 1:1

The T210 is perfect for **precision soldering jobs** with medium power requirements.

For its size, it can work with **conventional** or **small SMDs**, even under a microscope.

**T210-NA Nitrogen**  
Features a Nitrogen feed



**T210-A Precision purposes**



### For C245 Cartridge Range

E 1:1

This general purpose soldering iron handle is perfect for both **SMD components** and jobs with high power requirements (e.g. ground plane soldering).



**T245-A General purposes**



**T245-PA Blue Grip**

Quickly distinguish it from other handles



**T245-C Soft Grip and Thermal Insulation**



Soft Foam

**T245-B Non-slip Grip**



**T245-NA Nitrogen**  
Features a Nitrogen feed

Nitrogen feed



**Note: All models are supplied with a 1.5m cable.**

JBC offers you a **wide range of Soldering Iron Handles** for you to choose the one which best suits your work needs.

Perfect handling of the tool is essential for hand soldering, especially in intensive or high-precision jobs. The JBC handles with pencil shape **perfectly fit into your hand** and guarantee an optimum grip thanks to their **ergonomic** shape.

The **handle size**, the **grip type** and the **set screw** are some features to consider when making your best choice.



### T210-PA Blue Grip

Quickly distinguish it from other handles



## For C245 & C470 Cartridge Range


E 1:1

### Heavy Duty

For **intensive** soldering jobs requiring continued high thermal power. They feature a **non-slip-grip** with a good thermal insulation and a **screw** which fixes the cartridge and prevents rotation.

### T470-ZA Tri-lobed grip

For better handling




Tri-lobed shape



### T470-A General purposes

### T470-SA General purposes with 3m cable



Foam

### T470-FA Thermal Insulation

### T470-MC Soft Thermal Insulation with 3m cable



### T470-NA Nitrogen

Features a Nitrogen feed

Nitrogen feed



**Note: All models are supplied with a 1.5m cable unless specified with 3m.**

# T245-C Soft Thermal Insulator Handle

Reduce the **heat sensation** in your hands and improve the control of tool

## Soft Thermal Insulator

The T245-C Soft Thermal Insulator Handle has a foam grip that is soft to the touch and provides greater thermal insulation that significantly reduces the sensation of heat.

## Greater comfort at work

The ergonomics and the short distance tip-to-grip provide greater precision and comfort which is ideal for general purpose jobs.

## Perfect handling

The JBC handles with pencil shape perfectly fit into your hand and guarantee an optimum grip thanks to their ergonomic shape. This is essential for hand soldering.



## Easy grip replacement (Ref. 0016057. Supplied in boxes of 4 grips)

With these special **slip-on tabs** you can easily replace the damaged grip as follows:



1. Put the slip-on tabs into the new grip.



2. Insert the grip with the tabs onto the handle.



3. To remove the tabs, hold the grip and pull.

